



BECA FAECP- MEDTRONIC :The European Coloproctology Fellowship 2020-21

Department of Surgery

University of Valencia

Valencia, Spain

An applied programme in the subspecialty of Coloproctology promoted by the Spanish Society of Coloproctology (FAECP), in collaboration with the Surgical Department of the University of Valencia and the Medical Research Institute La Fe, Valencia.

The clinical activity will take place at the Unit of Coloproctology of the Department of General and Digestive Surgery, Hospital Universitario y Politecnico La Fe (Prof. E. García-Granero) in collaboration with the Coloproctology Unit (Dr. J.V. Roig), Hospital Nueve de Octubre, in Valencia, Spain.

1-Objectives

The aim of this programme is to extrapolate the Coloproctology training system already present in other countries (mainly USA) to the European and Spanish medium. The objective is to carry out a training programme in this subspecialty with a logbook of procedures which can be recognised by other accredited centres. The programme will be exportable to other centres and will shortly be approved by the scientific community.

2-Characteristics of the bursary:

- **Income: 32.000 € (8000 €/ trimester).** This income will be subject to the current Spanish taxation laws. The scholarship funds are subject to income taxation of approximately 40-45%.

- **Organised by:** Prof. Eduardo García-Granero, University Department of Surgery, through the “Fundación para la Investigación. Hospital Universitario y Politécnico La Fe”, Valencia.

- **Period:** One year (October 1st 2020-September 30th 2021)

- **Annual call for applicants**

- **Regulations:** The applicant must be a EU citizen, licensed in General Surgery.

The degrees obtained outside Spain must be officially recognised in Spain at the beginning of the Fellowship.

- **Applications should be accompanied by:**

- + Photocopy of the National Identity Card or Passport (for foreigners)
- + Photocopy of the specialist degree in General and/or Digestive Surgery
- + **Curriculum Vitae according to the attached CV form. (see below)**
- + Letters or reports of reference (maximum of three) from the mentors/tutors, regarding training, credits of the candidates and above all future progress and work prospects in the area of Coloproctology.

-**The successful candidate** will have to comply with Spanish requirements regarding recognition of prior medical training and certification of good standing from their own national medical governing body. The candidate is advised to undertake these administrative responsibilities promptly following notification of acceptance:

- Achieving mutual recognition of academic and surgical professional titles by the Spanish Ministry of Education and Science.
 - A “Certificate of Good Standing” (also translated into Spanish by a sworn translator).
 - The Fellow will also have to register with the Official Medical Association in Valencia and will be assisted and advised in taking an annual malpractice insurance policy.
- At the end of the programme,** the candidate will be awarded a certificate by the University Department of Surgery, University of Valencia.
- Applications should be presented** in person or sent by email to the address below **NO LATER THAN THE 15THJULY 2020:**
- eggranero@telefonica.net**

- Criteria for the evaluation of merits:

- + CV according to the attached application form.
- + Introduction letters or reports (maximum of three) from the mentors/tutors.
- + Possible personal interview
- + The bursary cannot be granted twice to the same person

- The bursary will be granted by an evaluation committee board representing the FAECP and the AEC:

President: Dr Eduardo Garcia-Granero

Vice-president: José Vicente Roig

Dr Fernando de la Portilla (President of FAECP)

Dr Sebastiano Biondo (Coordinador de la Sección de Coloproctología de la AEC)

3- Activities to be carried out by the applicant:

- **Clinical activities** as a specialist doctor tutored by the staff from the unit. The candidate will have a logbook of surgical activities performed.
- **Educational activities:** Participation in the educational activities of the unit: courses and meetings
- **Research:** Incorporation to the research projects.
- **Presentation of abstracts at the:** Reunión Anual de la Asociación Española de Coloproctología. Congreso/Reunión de la Asociación Española de Cirujanos. Annual meetings of the ASCRS or ESCP
- **Participation in scientific publications**

4- Characteristics of the Coloproctology Group:

Background

The activity of the Fellow will be supervised by the Director of the Fellowship, Prof. Eduardo García-Granero.

The clinical activity will take place in the Coloproctology Unit of the Hospital Universitario y Politécnico La Fe (www.nuevohospital-lafe.com) in collaboration with the Coloproctology Unit Hospital Nueve de Octubre, Valencia chaired by Dr. JV Roig. Moreover, the fellow will spend a month visiting one of the referral Colorectal Unit in Spain, according to the committee board.

The Coloproctology group has an wide experience in the treatment of patients as can be seen by over 12.000 surgical procedures performed and registered in the Unit's database. It also has prestigious research experience which is reflected in the scientific publications, together with a consolidated tradition in postgraduate training in Coloproctology for General Surgical residents and also for over 220 doctors who have visited the unit to improve their theoretical and practical knowledge in the subspecialty.

- **Human resources:** 8 staff surgeons with complete dedication to Colorectal Surgery, five of them qualified with the **European Board Surgical Qualification in Coloproctology (EBSQ-C)**. A **stoma therapy nurses** with complete dedication in the Coloproctology Unit.

- Clinical activities and resources:

- + **Surgery:** the coloproctology unit performs around 250 colorectal surgical procedures and 250 proctology procedures every year. There are over 10 major operations per week in the Unit.

Intelligent operating room for advanced Colorectal laparoscopic surgical procedures is available.

- + **Clinics:** two daily clinics with completely equipped offices.

- + **Anorectal ultrasound** performed by the Unit that has studied over 1200 rectal cancers from 1996

- + **Surgical ward** with programmed and emergency admissions

-Available specialities related to the Unit: Gastroenterology. Gastrointestinal motility unit, Endoscopies, Conventional radiology, CT and MRI, Intensive Care, Urology, Gynaecology, Pathology, Oncology, Plastic Surgery.

- Coloproctology Functional Unit:

The Coloproctology unit planned for assistance and research, together with some of the previously mentioned specialities and organize its clinical activity based on the following multidisciplinary groups:

MDT of Colorectal Cancer and Pelvic Exenteration

MDT of Inflammatory Bowel Disease and pelvic floor

- Teaching Activities in the units:

- +Annual course in Coloproctology for residents promoted by the Asociación Española de Cirujanos.

- +Workshops on cylindrical APR (one day's duration) & directed towards specialist surgeons.

- +Workshops on complex clinical cases in Inflammatory bowel diseases. (one day's duration) & directed towards specialist surgeons.

- Research activities

The papers published in peer-reviewed journals in the last 10 years are reported in the Bibliography section.

Bibliography (last ten years):

Kelly ME; PelvEx Collaborative.

Management strategies for patients with advanced rectal cancer and liver metastases using modified Delphi methodology: results from the PelvEx collaborative.

Colorectal Dis. 2020 Feb 11. doi: 10.1111/codi.15007. [Epub ahead of print]

Garcia-Granero A, Gianluca P, Giner F, Frasson M, Grifo Albalat I, Sánchez-Guillén L, Valverde-Navarro AA, Garcia-Granero E.

A Proposal for Novel Standards of Histopathology Reporting for D3 Lymphadenectomy in Right Colon Cancer: The Mesocolic Sail and Superior Right Colic Vein Landmarks.

Dis Colon Rectum. 2020 Jan 28. doi: 10.1097/DCR.0000000000001589. [Epub ahead of print]

Baguena G, Pellino G, Frasson M, Escrig J, Marinello F, Espí A, García-Granero A, Roselló S, Cervantes A, García-Granero E.

Impact of perioperative transfusions and sepsis on long-term oncologic outcomes after curative colon cancer resection. A retrospective analysis of a prospective database.

Gastroenterol Hepatol. 2020;43:63-72.

Flor-Lorente B, Sánchez-Guillén L, Pellino G, Frasson M, García-Granero Á, Ponce M, Domingo S, Paya V, García-Granero E.

"Virtual ileostomy" combined with early endoscopy to avoid a diversion ileostomy in low or ultralow colorectal anastomoses. A preliminary report.

Langenbecks Arch Surg. 2019;404:375-383.

Baguena G, Pellino G, Frasson M, Roselló S, Cervantes A, García-Granero A, Giner F, García-Granero E. Prognostic Impact of pT Stage and Peritoneal Invasion in Locally Advanced Colon Cancer.
Dis Colon Rectum. 2019;62:684-693.

Sánchez-Guillén L, Frasson M, García-Granero Á, Pellino G, Flor-Lorente B, Álvarez-Sarrado E, García-Granero E.

Risk factors for leak, complications and mortality after ileocolic anastomosis: comparison of two anastomotic techniques.
Ann R Coll Surg Engl. 2019;101:571-578.

PelvExCollaborative.

Pelvic Exenteration for Advanced Nonrectal Pelvic Malignancy.
Ann Surg. 2019;270:899-905.

Pous-Serrano S, Frasson M, Pàmies-Guilabert J, Rudenko P, Puchades-Román I, Beltrán B, Nos Mateu P, García-Granero E.

Use of magnetic resonance index of activity (MaRIA) in the preoperative assessment of small bowel Crohn's disease.

Cir Esp. 2019;97:582-589.

PelvEx Collaborative.

Changing outcomes following pelvic exenteration for locally advanced and recurrent rectal cancer.

BJS Open. 2019;3:516-520.

García-Granero A, Pellino G, Frasson M, Primo Romaguera V, Fletcher-Sanfeliu D, Blasco Serra A, Valverde-Navarro AA, Martínez-Soriano F, García-Granero E. Possible effects of height of ligation of the inferior mesenteric vein on venous return of the colorectal anastomosis: the venous trunk theory.

Tech Coloproctol. 2019;23:799-800.

PelvEx Collaborative.

Palliative pelvic exenteration: A systematic review of patient-centered outcomes.

Eur J Surg Oncol. 2019;45:1787-1795.

2015 European Society of Coloproctology (ESCP) collaborating group.

Patients with Crohn's disease have longer post-operative in-hospital stay than patients with colon cancer but no difference in complications' rate.

World J Gastrointest Surg. 2019;11:261-270.

Garcia-Granero A, Pellino G, Frasson M, Fletcher-Sanfeliu D, Bonilla F, Sánchez-Guillén L, Domenech Dolz A, Primo Romaguera V, Sabater Ortí L, Martínez-Soriano F, Garcia-Granero E, Valverde-Navarro AA.

The fusion fascia of Fredet: an important embryological landmark for complete mesocolic excision and D3-lymphadenectomy in right colon cancer.

Surg Endosc. 2019 ;33:3842-3850.

Codina Cazador A, Biondo S, Espín Basany E, Enríquez Navascues JM, García Granero E, Roig Vila JV, Buxó M.

A teaching project on rectal cancer and concentration of procedures: a comparison of oncological results between Catalonia and the rest of autonomous communities.

Rev Esp Enferm Dig. 2019;111:519-529.

Díaz-Cambronero O, Mazzinari G, Errando CL, Schultz MJ, Flor Lorente B, García-Gregorio N, Vila Montañés M, Robles-Hernández D, Olmedilla Arnal LE, Martín-De-Pablos A, Marqués Marí A, Argente Navarro MP; IPPCollapse-II study group.

An individualised versus a conventional pneumoperitoneum pressure strategy during colorectal laparoscopic surgery: rationale and study protocol for a multicentre randomised clinical study.

Trials. 2019 Apr 3;20:190.

Díaz-Cambronero O, Flor Lorente B, Mazzinari G, Vila Montañés M, García Gregorio N, Robles Hernandez D, Olmedilla Arnal LE, Argente Navarro MP, Schultz MJ, Errando CL; IPPColLapSe study group.

A multifaceted individualized pneumoperitoneum strategy for laparoscopic colorectal surgery: a multicenter observational feasibility study.

Surg Endosc. 2019;33:252-260

Pellino G, Biondo S, Codina Cazador A, Enríquez-Navascues JM, Espín-Basany E, Roig-Vila JV, García-Granero E; Rectal Cancer Project.

Pelvic exenterations for primary rectal cancer: Analysis from a 10-year national prospective database.

World J Gastroenterol. 2018;24:5144-5153.

2017 and 2015 European Society of Coloproctology (ESCP) collaborating groups.
The impact of conversion on the risk of major complication following laparoscopic colonic surgery: an international, multicentre prospective audit.

Colorectal Dis. 2018;20 Suppl 6:69-89.

2017 European Society of Coloproctology (ESCP) collaborating group.
An international multicentre prospective audit of elective rectal cancer surgery; operative approach versus outcome, including transanal total mesorectal excision (TaTME).

Colorectal Dis. 2018;20 Suppl 6:33-46.

2017 European Society of Coloproctology (ESCP) collaborating group.
Evaluating the incidence of pathological complete response in current international rectal cancer practice: the barriers to widespread safe deferral of surgery.

Colorectal Dis. 2018;20 Suppl 6:58-68.

Pellino G, García-Granero A, Fletcher-Sanfeliu D, Navasquillo-Tamarit M, Frasson M, García-Calderon D, García-Gausí M, Valverde-Navarro AA, García-Armengol J, Roig-Vila JV, García-Granero E.

Preoperative surgical planning based on cadaver simulation and 3D imaging for a retrorectal tumour: description and video demonstration.

Tech Coloproctol. 2018;22:709-713.

2015 European Society of Coloproctology Collaborating Group.

The impact of stapling technique and surgeon specialism on anastomotic failure after right-sided colorectal resection: an international multicentre, prospective audit.

Colorectal Dis. 2018;20:1028-1040.

Pellino G, Frasson M, García-Granero A, Granero-Castro P, Ramos Rodríguez JL, Flor-Lorente B, Bargallo Berzosa J, Alonso Hernández N, Labrador Vallverdú FJ, Parra Baños PA, Ais Conde G, Garcia-Granero E; ANACO Study Group.

Predictors of complications and mortality following left colectomy with primary stapled anastomosis for cancer: results of a multicentric study with 1111 patients.

Colorectal Dis. 2018;20:986-995

Sancho-Muriel J, Garcia-Granero A, Fletcher-Sanfeliu D, Alvarez-Sarrado E, Sánchez-Guillén L, Pellino G, Millán M, Valverde-Navarro AA, Martinez-Soriano F, Frasson M, García-Granero E.

Surgical anatomy of the deep postanal space and the re-modified Hanley procedure - a video vignette.

Colorectal Dis. 2018;20:645-646

Roig JV, Salvador A, Frasson M, García-Mayor L, Espinosa J, Roselló V, Hernandis J, Ruiz-Carmona MD, Uribe N, García-Calvo R, Bernal JC, García-Armengol J, García-Granero E; en representación del Grupo Cooperativo de la Sociedad Valenciana de Cirugía.

Stoma reversal after surgery for complicated acute diverticulitis: A multicentre retrospective study.

Cir Esp. 2018;96:283-291.

Garcia-Granero A, Sánchez-Guillén L, Fletcher-Sanfeliu D, Flor-Lorente B, Frasson M, Sancho Muriel J, Alvarez Serrado E, Pellino G, Grifo Albalat I, Giner F, Roca Estelles MJ, Esclapez Valero P, Garcia-Granero E.

Application of three-dimensional printing in laparoscopic dissection to facilitate D3-lymphadenectomy for right colon cancer.

Tech Coloproctol. 2018;22:129-133.

Roselló S, Frasson M, García-Granero E, Roda D, Jordá E, Navarro S, Campos S, Esclápez P, García-Botello S, Flor B, Espí A, Masciocchi C, Valentini V, Cervantes A.

Integrating Downstaging in the Risk Assessment of Patients With Locally Advanced Rectal Cancer Treated With Neoadjuvant Chemoradiotherapy: Validation of Valentini's Nomograms and the Neoadjuvant Rectal Score.

Clin Colorectal Cancer. 2018;17:104-112

Garcia-Granero A, Sánchez-Guillén L, Frasson M, Sancho Muriel J, Alvarez Sarrado E, Fletcher-Sanfeliu D, Flor Lorente B, Pamies J, Corral Rubio J, Valverde Navarro AA, Martinez Soriano F, Garcia-Granero E.

How to reduce the superior mesenteric vein bleeding risk during laparoscopic right hemicolectomy.

Int J Colorectal Dis. 2018;33:235-239.

Martín-Martín GP, García-Armengol J, Roig-Vila JV, Espí-Macías A, Martínez-Sanjuán V, Mínguez-Pérez M, Lorenzo-Liñán MÁ, Mulas-Fernández C, González-Argenté FX.

Magnetic resonance defecography versus videodefecography in the study of obstructed defecation syndrome: Is videodefecography still the test of choice after 50 years?

Tech Coloproctol. 2017;21:795-802.

Cerdán Santacruz C, Frasson M, Flor-Lorente B, Ramos Rodríguez JL, Trallero Anoro M, Millán Scheiding M, Maseda Díaz O, Dujovne Lindenbaum P, Monzón Abad A, García-Granero Ximenez E; ANACO Study Group.

Laparoscopy may decrease morbidity and length of stay after elective colon cancer resection, especially in frail patients: results from an observational real-life study.

Surg Endosc. 2017;31:5032-5042.

Codina Cazador A, Biondo S, Espin Basany E, Enriquez-Navascues JM, García-Granero E, Roig Vila JV, Buxó M; en representación de los centros participantes en el Proyecto del Cáncer de Recto de la Asociación Española de Cirujanos.

Oncological results of the educational Rectal Cancer Project in Spain 10 years after its implementation.

Cir Esp. 2017;95:577-587

2015 European Society of Coloproctology collaborating group.

Risk factors for unfavourable postoperative outcome in patients with Crohn's disease undergoing right hemicolectomy or ileocaecal resection An international audit by ESCP and S-ECCO.

Colorectal Dis. 2017 Sep 15. doi: 10.1111/codi.13889. [Epub ahead of print]

Garcia-Granero A, Sánchez-Guillén L, Carreño O, Sancho Muriel J, Alvarez Sarrado E, Fletcher Sanfeliu D, Flor Lorente B, Frasson M, Martinez Soriano F, Garcia-Granero E.

Importance of the Moskowitz artery in the laparoscopic medial approach to splenic flexure mobilization: a cadaveric study.

Tech Coloproctol. 2017;21:567-572

García-Granero E, Navarro F, Cerdán Santacruz C, Frasson M, García-Granero A, Marinello F, Flor-Lorente B, Espí A.

Individual surgeon is an independent risk factor for leak after double-stapled colorectal anastomosis: An institutional analysis of 800 patients.

Surgery. 2017;162:1006-1016.

Pous-Serrano S, Frasson M, Cerrillo E, Beltrán B, Iborra M, Hervás D, García-Granero E, Nos P.

Correlation between fecal calprotectin and inflammation in the surgical specimen of Crohn's disease.

J Surg Res. 2017;213:290-297.

Sancho-Muriel J, Frasson M, Hervás D, Flor-Lorente B, Ramos Rodriguez JL, Romero Simó M, Escoll Rufino J, Santamaría Olabarrieta M, Viñas Martinez J, López Bañeres M, García-Granero E; ANACO Study Group..

Standard outcome indicators after colon cancer resection. Creation of a nomogram for autoevaluation.

Cir Esp. 2017;95:30-37.

Pous-Serrano S, Frasson M, Palasí Giménez R, Sanchez-Jordá G, Pamies-Guilabert J, Llavador Ros M, Nos Mateu P, García-Granero E.

Accuracy of magnetic resonance enterography in the preoperative assessment of patients with small bowel Crohn's disease.

Colorectal Dis. 2017;19:O126-O133.

Balciscueta Z, Uribe N, Balciscueta I, Andreu-Ballester JC, García-Granero E.

Rectal advancement flap for the treatment of complex cryptoglandular anal fistulas: a systematic review and meta-analysis.

Int J Colorectal Dis. 2017;32:599-609.

Balciscueta Z, Uribe N, Mínguez M, García-Granero E.

The changes in resting anal pressure after performing full-thickness rectal advancement flaps.

Am J Surg. 2017;214:428-431

2015 European Society of Coloproctology collaborating group.

The relationship between method of anastomosis and anastomotic failure after right hemicolectomy and ileo-caecal resection: an international snapshot audit.

Colorectal Dis. 2017 Mar 6. doi: 10.1111/codi.13646. [Epub ahead of print]

Flor-Lorente B, Báguena G, Frasson M, García-Granero A, Cervantes A, Sanchiz V, Peña A, Espí A, Esclapez P, García-Granero E.

Self-expanding metallic stent as a bridge to surgery in the treatment of left colon cancer obstruction: Cost-benefit analysis and oncologic results.

Cir Esp. 2017;95:143-151.

Roig JV, Salvador A, Frasson M, Cantos M, Villodre C, Balciscueta Z, García-Calvo R, Aguiló J, Hernandis J, Rodríguez R, Landete F, García-Granero E; en representación del Grupo Cooperativo de la Sociedad Valenciana de Cirugía.

Surgical treatment of acute diverticulitis. A retrospective multicentre study.

Cir Esp. 2016;94:569-577.

Ortiz H, Codina A, Ciga MÁ, Biondo S, Enríquez-Navascués JM, Espín E, García-Granero E, Roig JV.

Effect of hospital caseload on long-term outcome after standardization of rectal cancer surgery in the Spanish Rectal Cancer Project.

Cir Esp. 2016;94:442-52.

Ballester-Pla N, Pous-Serrano S, Palasí-Giménez R, García-Granero E.

Use of a linear stapler for the treatment of ileocolic fistula in Crohn's disease.

Colorectal Dis. 2016;18:O385-O387

Ortiz H, Biondo S, Codina A, Ciga MÁ, Enríquez-Navascués J, Espín E, García-Granero E, Roig JV.

Hospital variation in anastomotic leakage after rectal cancer surgery in the Spanish Association of Surgeons project: The contribution of hospital volume.

Cir Esp. 2016;94:213-220

Bueno-Lledó J, Barber S, Vaqué J, Frasson M, Garcia-Granero E, Juan-Burgueño M. Adhesive Small Bowel Obstruction: Predictive Factors of Lack of Response in Conservative Management with Gastrografin.

Dig Surg. 2016;33:26-32

Ortiz H, Biondo S, Codina A, Ciga MÁ, Enríquez-Navascués J, Espín E, García-Granero E, Roig JV.

Hospital variation in anastomotic leakage after rectal cancer surgery in the Spanish Association of Surgeons project: The contribution of hospital volume.

Cir Esp. 2016;94:213-220

Ortiz H, Biondo S, Codina A, Ciga MÁ, Enríquez-Navascués JM, Espín E, García-Granero E, Roig JV.

Hospital variability in postoperative mortality after rectal cancer surgery in the Spanish Association of Surgeons project: The impact of hospital volume.

Cir Esp. 2016;94:22-30

Frasson M, Granero-Castro P, Ramos Rodríguez JL, Flor-Lorente B, Braithwaite M, Martí Martínez E, Álvarez Pérez JA, Codina Cazador A, Espí A, García-Granero E; ANACO Study Group.

Risk factors for anastomotic leak and postoperative morbidity and mortality after elective right colectomy for cancer: results from a prospective, multicentric study of 1102 patients.

Int J Colorectal Dis. 2016;31:105-14

Marinello FG, Baguena G, Lucas E, Frasson M, Hervás D, Flor-Lorente B, Esclapez P, Espí A, García-Granero E.

Anastomotic leaks after colon cancer resections: Does the individual surgeon matter?

Colorectal Dis. 2016;18:562-9

Frasson M, Flor-Lorente B, Ramos Rodríguez JL, Granero-Castro P, Hervás D, Alvarez Rico MA, Brao MJ, Sánchez González JM, Garcia-Granero E; ANACO Study Group; ANACO Study Group.

Risk Factors for Anastomotic Leak After Colon Resection for Cancer: Multivariate Analysis and Nomogram From a Multicentric, Prospective, National Study With 3193 Patients.

Ann Surg. 2015;262:321-30

Frasson M, García-Granero E, Parajó A, García-Mayor L, Flor B, García-Granero A, Lavery I.

Rectal cancer threatening or affecting the prostatic plane: is partial prostatectomy oncologically adequate? Results of a multicentric retrospective study.

Colorectal Dis. 2015;17:689-697

Marinello FG, Frasson M, Baguena G, Flor-Lorente B, Cervantes A, Roselló S, Espí A, García-Granero E.

Selective approach for upper rectal cancer treatment: total mesorectal excision and preoperative chemoradiation are seldom necessary.

Dis Colon Rectum. 2015;58:556-65.

Ortiz H, Ciga MA, Armendariz P, Kreisler E, Codina-Cazador A, Gomez-Barbadillo J, Garcia-Granero E, Roig JV, Biondo S; Spanish Rectal Cancer Project. Multicentre propensity score-matched analysis of conventional versus extended abdominoperineal excision for low rectal cancer.

Br J Surg. 2014;101:874-82

Alcántara-Moral M, Serra-Aracil X, Gil-Egea MJ, Frasson M, Flor-Lorente B, Garcia-Granero E; E.B.S.Q.-C on behalf of the collaborative Group of Coloproctology Section of The Spanish Association of Surgeons. Observational cross-sectional study of compliance with the fast track protocol in elective surgery for colon cancer in Spain.

Int J Colorectal Dis. 2014;29:477-83

Ortiz H, Wibe A, Ciga MA, Kreisler E, Garcia-Granero E, Roig JV, Biondo S; Spanish Rectal Cancer Project. Multicenter study of outcome in relation to the type of resection in rectal cancer.

Dis Colon Rectum. 2014;57:811-22

García-Granero A, Granero-Castro P, Frasson M, Flor-Lorente B, Carreño O, Garcia-Granero E. The use of an endostapler in the treatment of suprarectal abscess from intersphincteric origin.

Colorectal Dis. 2014 16:O335-8

García-Granero E, Frasson M, Trallero M. Extended resection and pelvic exenteration in distal third rectal cancer.

Cir Esp. 2014;92S1:40-47.

García-Granero E. Surgical options in locally advanced cancer of the distal third of the rectum. Need for superspecialization. Introduction.

Cir Esp. 2014;92S1:1-3.

Ortiz H, Ciga MA, Armendariz P, Kreisler E, Codina-Cazador A, Gomez-Barbadillo J, Garcia-Granero E, Roig JV, Biondo S; Spanish Rectal Cancer

Project. Multicentre propensity score-matched analysis of conventional versus extended abdominoperineal excision for low rectal cancer.

Br J Surg. 2014;101:874-82

Granero-Castro P, Muñoz E, Frasson M, García-Granero A, Esclapez P, Campos S, Flor-Lorente B, Garcia-Granero E. Evaluation of mesorectal fascia in mid and low anterior rectal cancer using endorectal ultrasound is feasible and reliable: a comparison with MRI findings.

Dis Colon Rectum. 2014;57:709-14.

Ortiz H, Wibe A, Ciga MA, Lujan J, Codina A, Biondo S; Spanish Rectal Cancer Project. Impact of a multidisciplinary team training programme on rectal cancer outcomes in Spain.

Colorectal Dis. 2013;15:544-51

Muñoz E, Granero-Castro P, Frasson M, Escartin J, Esclapez P, Campos S, Flor-Lorente B, Garcia-Granero E. Modified Wong's Classification Improves the Accuracy of Rectal Cancer Staging by Endorectal Ultrasound and MRI.

Dis Colon Rectum. 2013;56:1332-8

Garcia-Granero A, Frasson M, Flor-Lorente B, Blanco F, Puga R, Carratalá A, Garcia-Granero E. Procalcitonin and C-reactive protein as early predictors of anastomotic leak in colorectal surgery: a prospective observational study.

Dis Colon Rectum. 2013; 56:475-83.

Roig JV, García-Armengol J. Treatment of complex cryptoglandular anal fistulas. Does it still require an experienced surgeon?.

Cir Esp. 2013;91:78-89

Garcia-Granero E, Frasson M, Pous S, Cervantes A. T4a and t4b colorectal cancer: what does this mean nowadays?

Dis Colon Rectum. 2012; 55:e367

Ortiz H, Armendariz P, Kreisler E, Garcia-Granero E, Espin-Basany E, Roig JV, Martín A, Parajo A, Valero G, Martínez M, Biondo S. Influence of Rescrubbing Before Laparotomy Closure on Abdominal Wound Infection After Colorectal Cancer Surgery: Results of a Multicenter Randomized Clinical Trial.

Arch Surg. 2012;147: 614-20

Boscà A, Pous S, Artés MJ, Gómez F, García-Granero E. Tumors of the retrorectal space: management and outcome of a heterogeneous group of diseases.

Colorectal Dis. 2012; 14:1418-23.

Frasson M, Faus C, Garcia-Granero A, Puga R, Flor-Lorente B, Cervantes A, Navarro S, Garcia-Granero E. Pathological evaluation of mesocolic resection quality and ex vivo methylene blue injection: what is the impact on lymph node harvest after colon resection for cancer?

Dis Colon Rectum. 2012 ; 55:197-204.

Navarro-Vicente F, Garcia-Granero A, Frasson M, Blanco F, Flor-Lorente B, Garcia-Botello S, Garcia-Granero E. Prospective evaluation of intraoperative peripheral nerve injury in colorectal surgery.

Colorectal Dis. 2012; 14:382-5

Roig JV, Cantos M, Balciscueta Z, Uribe N, Espinosa J, Roselló V, García-Calvo R, Hernandis J, Landete F; Sociedad Valenciana de Cirugía Cooperative Group. Hartmann's operation: how often is it reversed and at what cost? A multicentrestudy.

Colorectal Dis. 2011; 13:e396-402

Molina JL, Flor-Lorente B, Frasson M, Garcia-Botello S, Esclapez P, Espí A, Garcia-Granero E. Low Rectal Cancer: Abdominoperineal Resection or Low Hartmann's Resection? A postoperative outcome analysis

Dis Colon Rectum. 2011; 54:958-62

Garcés M, García-Granero E, Faiz O, Alcacer J, Lledó S Ultralow anterior resection for prolapsed giant solitary rectal polyp of Peutz-Jeghers type.

Am Surg. 2011;77:501-2.

Roig JV, García Armengol J, García Fadrique A, Herrera M, Montalvo I, Izquierdo J. Accreditation and dedication in coloproctology is associated with good perioperative care.

Cir Esp. 2011; 89:94-100.

García-de-la-Asunción J, Barber G, Rus D, Perez-Griera J, Belda FJ, Martí F, García-Granero E. Hyperoxia during colon surgery is associated with a reduction of xanthine oxidase activity and oxidative stress in colonic mucosa.

Redox Rep. 2011; 16:121-8

Blanco F, Frasson M, Flor-Lorente B, Minguez M, Esclapez P, García-Granero E. Solitary rectal ulcer: ultrasonographic and magnetic resonance imaging patterns mimicking rectal cancer.

Eur J Gastroenterol Hepatol. 2011; 23:1262-6.

Frasson M, Garcia-Granero E, Roda D, Flor-Lorente B, Roselló S, Esclapez P, Faus C, Navarro S, Campos S, Cervantes A. Preoperative chemoradiation may not always be needed for patients with T3 and T2N+ rectal cancer.

Cancer. 2011; 117:3118-25

García-Botello S, Cánovas de Lucas R, Tornero C, Escamilla B, Espí-Macías A, Esclapez-Valero P, Flor-Lorente B, García-Granero E.

Implementation of a perioperative multimodal rehabilitation protocol in elective colorectal surgery.A prospective randomised controlled study].

Cir Esp. 2011; 89:159-66.

Ramírez JM, Blasco JA, Roig JV, Maeso-Martínez S, Casal JE, Esteban F, Lic DC; Spanish working group on fast track surgery. Enhanced recovery in colorectal surgery: a multicentre study.

BMC Surg. 2011; 11:9.

García-Granero E, Faiz O, Flor-Lorente B, García-Botello S, Esclápez P, Cervantes A. Prognostic implications of circumferential location of distal rectal cancer.

Colorectal Dis. 2011; 13:650-7

Roig JV, García-Armengol J, Jordán JC, Moro D, García-Granero E, Alós R. Fistulectomy and sphincteric reconstruction for complex cryptoglandular fistulas. Colorectal Dis. 2010; 12:e145-52. .

Faus C, Roda D, Frasson M, Roselló S, García-Granero E, Flor-Lorente B, Navarro S. The role of the pathologist in rectal cancer diagnosis and staging and surgical quality assessment.

Clin Transl Oncol. 2010;12:339-45

Garcés Albir M, García Botello S, Esclápez Valero P, Sanahuja Santafé A, Espí Macías A, Flor Lorente B, García-Granero E. Evaluation of three-dimensional endoanal endosonography of perianal fistulas and correlation with surgical findings.

Cir Esp. 2010; 87:299-305

Ballester C, Sarriá B, García-Granero E, Mata M, Milara J, Morcillo EJ, Lledó S, Cortijo J. Relaxation by beta(3)-adrenoceptor agonists of the isolated human internal anal sphincter.

Life Sci. 2010; 86:358-64.

West NP, Anderin C, Smith KJ, Holm T, Quirke P; European Extralevator Abdominoperineal Excision Study Group. Multicentre experience with extralevator abdominoperineal excision for low rectal cancer.

Br J Surg. 2010; 97:588-99

García-Granero E. Assessment of the quality of bowel cancer surgery: "from the mesorectum to the mesocolon"

Cir Esp. 2010; 87:131-2.

Biondo S, Ortiz H, Lujan J, Codina-Cazador A, Espin E, Garcia-Granero E, Kreisler E, de Miguel M, Alos R, Echeverria A. Quality of mesorectum after laparoscopic resection for rectal cancer. Results of an audited teaching program in Spain.

Colorectal Dis. 2010; 12:24-32

Roig JV, García-Armengol J, Jordán JC, Moro D, García-Granero E, Alós R
Fistulectomy and sphincteric reconstruction for complex cryptoglandular fistulas.

Colorectal Dis 2010;12:e145-52

Millán M, Tegido M, Biondo S, Garcia-Granero E.
Preoperative stoma siting and education by stomatherapists in colorectal cancer patients: A descriptive study of 12 colorectal surgery units in Spain.

Colorectal Dis 2010; 12:e88-92

García-Granero E, Sanahuja A, García-Botello SA, Faiz O, Esclápez P, Espí A, Flor B, Minguez M, Lledó S. The ideal Lateral Internal Sphincterotomy (LIS): clinical and endosonographic evaluation following open and closed internal anal sphincterotomy.

Colorectal Dis. 2009; 11,502-507

Roig JV, Jordán J, García-Armengol J, Esclapez P, Solana A. Changes in anorectal morphologic and functional parameters after fistula-in-ano surgery.
Dis Colon Rectum. 2009;52:1462-9.

Jordán J, Roig JV, García-Armengol J, García-Granero E, Solana A, Lledó S.
Risk factors for recurrence and incontinence after anal fistula surgery.
Colorectal Dis. 2009; 12:254-60

Jordán J, Roig JV, García Armengol J, Esclapez P, Jordán Y, García Granero E, Alós R, Lledó S. Importance of physical examination and imaging techniques in the diagnosis of anorectal fistula.

Cir Esp. 2009; 85:238-45

Esclapez P, Garcia-Granero E, Flor B, García-Botello S, Cervantes A, Navarro S, Lledó S. Prognostic heterogeneity of endosonographic T3 rectal cancer. Dis Colon Rectum. 2009;52:685-91

García-Granero E, Faiz O, Muñoz E, Flor B, Navarro S, Faus C, García-Botello SA, Lledó S, Cervantes A. Macroscopic assessment of mesorectal excision in rectal cancer: a useful tool for improving quality control in a multidisciplinary team.

Cancer. 2009;115: 3400-11.

CURICULUM VITAE FORM
(to be filled in English or Spanish)

1) General Surgery Training Qualification (Attach certificate)

Especialización en Cirugía General y Digestiva (especificar Hospital, Servicio, Ciudad, y calificación si la hubiera. Adjuntar pdf)

2) Indexed Publications in PubMed (title, authors, Journal and impact factor) (Attach pdf for each publication)

Publicaciones indexadas en PubMed detallando título, autores, revista e Impact Factor de la revista. (Adjuntar pdf de cada publicación)

3) Ph.D: State whether yes or not. (attach pdf or jpg)

Posesión del Título de Doctor (Si/ No) y Calificación. (Acreditar con pdf o jpg)

4) Degree Grades. (attach certificates, pdf)

Expediente académico con el detalle de las notas de las diferentes asignaturas.(Adjuntar acreditación)

5) Postgraduate stay at other Hospital. Give details of duration of stay in months). (Attach certifications, pdf)

Estancias de Postgraduado en otros Centros. Detallar Centro y Unidad donde se ha realizado la estancia y la duración de la estancia en meses. (Adjuntar acreditación, pdf).

6) English language. (State level and attach qualification certificate, pdf)

Declarar si el candidato posee alguna certificación de su conocimiento del Idioma Inglés detallando nombre del certificado y año de certificación. (Adjuntar acreditación, pdf)

7) Masters in surgery or research (Attach certifications, pdf) (Attach certifications, pdf)

Detallar los Master con tema quirúrgico o de metodología de la investigación realizados por el candidato detallando tema, Universidad. (Adjuntar acreditación, pdf)

8) Postgraduate courses in surgery over 40 hours.

Cursos de Postgraduado de más de 40 horas con tema quirúrgico o de metodología de la investigación realizados por el candidato, Organizador del Curso y número de horas. (Adjuntar acreditación, pdf)

9) Oral Presentations at National or International congresses as a first author. (Attach certifications, pdf)

Detallar las comunicaciones orales (no incluir poster y videos) a Congresos Nacionales o Internacionales de Cirugía en la cual el candidato figura como 1er autor. Detallar autores, título y congreso. (Adjuntar acreditación, pdf)

10) Founded Research Projects in Surgery.. State whether main author or collaborator. (Attach certifications, pdf)

Detallar los proyectos financiados competitivos (FIS u otra beca o Entidad) en el cual el Candidato figura como Investigador Colaborador o Principal, detallando el título del proyecto, el ente financiador, cantidad financiada e investigador principal. (Adjuntar acreditación)

11) Future professional development in coloproctology (150 words max)

Futura vinculación a la Coloproctología. Detallar en un **máximo de 150 palabras** las posibilidades y voluntad del candidato de seguir la carrera profesional en el campo de la cirugía colorrectal una vez finalizado el Fellowship.

12) Additional credits: postgraduate clinical activities, awards, grants...) (Attach certifications, pdf)

Otros Meritos: Actividad asistencial o experiencia quirúrgica post-MIR, premios, becas, etc) que el candidato quiere sean considerados al fin de la evaluación. (Adjuntar acreditación, pdf)

- CV should be accompanied by:

- + Photocopy of the National Identity Card or Passport (for foreigners)
- + Photocopy of the specialist degree in General and/or Digestive Surgery
- + Letters or reports of reference (maximum of three) from the mentors/tutors, regarding training, credits of the candidates and above all future progress and work prospects in the area of Coloproctology.